



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: June 25, 2019

To,
M/s. Provident Housing Ltd.
at S. no. 20/2, 20/3, 23/1, 23/2/1/1, 23/2/1/2, 23/2/2, 23/2/2/1, 23/2/2/3A, 23/2/2/3B, 23/2/2/4, 23/2/2/6, 23/2/3, 23/2/7, 23/2/8, 23/2/9, 23/5, 23/5/1, 23/5/3, 23/5/3/1, 23/6, 23/7, 23/10/1, 23/10/1/3 at Mauje Kondhwa (Budruk), Taluka Haveli, Pune

Subject: Environment Clearance for Environmental Clearance for Residential Development at Mauje Kondhwa (Budruk), Taluka Haveli, Pune

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 85th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 167th meetings.

2. It is noted that the proposal is considered by SEAC-III under screening category 8 (a) B2 as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Residential Development at Mauje Kondhwa (Budruk), Taluka Haveli, Pune
2.Type of institution	Private
3.Name of Project Proponent	M/s. Provident Housing Ltd.
4.Name of Consultant	M/s. Ultra-Tech
5.Type of project	Residential Development
6.New project/expansion in existing project/modernization/diversification in existing project	New project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	No
8.Location of the project	S. no. 20/2, 20/3, 23/1, 23/2/1/1, 23/2/1/2, 23/2/2, 23/2/2/1, 23/2/2/3A, 23/2/2/3B, 23/2/2/4, 23/2/2/6, 23/2/3, 23/2/7, 23/2/8, 23/2/9, 23/5, 23/5/1, 23/5/3, 23/5/3/1, 23/6, 23/7, 23/10/1, 23/10/1/3 at Mauje Kondhwa (Budruk), Taluka Haveli, Pune
9.Taluka	Haveli
10.Village	Kondhwa
Correspondence Name:	M/s. Provident Housing Ltd.
Room Number:	804/A
Floor:	Level 8, Wing B
Building Name:	The Capital, G Block
Road/Street Name:	--
Locality:	Bandra Kurla Complex
City:	Mumbai
11.Whether in Corporation / Municipal / other area	Pune Municipal Corporation (P.M.C.)
12.IOD/IOA/Concession/Plan Approval Number	Application for IOD done to PMC IOD/IOA/Concession/Plan Approval Number: Application for IOD done to PMC Approved Built-up Area:
13.Note on the initiated work (If applicable)	NA
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	--
15.Total Plot Area (sq. m.)	40800.00 Sq. mt.

SEIAA Meeting No: 167 Meeting Date: May 21, 2019 (SEIAA-STATEMENT-000001924)
SEIAA-MINUTES-0000001950
SEIAA-EC-0000001736

16.Deductions	9406.80 Sq. mt.
17.Net Plot area	32287.60 Sq. mt.
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): 68844.41 Sq. mt.
	Non FSI area (sq. m.): 79853.28 Sq. mt.
	Total BUA area (sq. m.): 148697.69
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval: 30-11-2018
19.Total ground coverage (m2)	14101 Sq. mt.
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	43.67 %
21.Estimated cost of the project	2618718644



Government of Maharashtra

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Not applicable	Not applicable	Not applicable	Not applicable

23. Total Water Requirement

Dry season:	Source of water	P.M.C./ Tanker water for Swimming pool make up
	Fresh water (CMD):	Domestic: 546 KLD (P.M.C.)
	Recycled water - Flushing (CMD):	272 KLD
	Recycled water - Gardening (CMD):	32 KLD
	Swimming pool make up (Cum):	3 KLD
	Total Water Requirement (CMD) :	853 KLD
	Fire fighting - Underground water tank(CMD):	500 KL
	Fire fighting - Overhead water tank(CMD):	140 KL
	Excess treated water	335 KLD
Wet season:	Source of water	P.M.C./ Tanker water for Swimming pool make up
	Fresh water (CMD):	Domestic: 546 KLD (P.M.C.)
	Recycled water - Flushing (CMD):	272 KLD
	Recycled water - Gardening (CMD):	NA
	Swimming pool make up (Cum):	3 KLD
	Total Water Requirement (CMD) :	821 KLD
	Fire fighting - Underground water tank(CMD):	500 KL
	Fire fighting - Overhead water tank(CMD):	140 KL
	Excess treated water	367 KLD
Details of Swimming pool (If any)	Dimension of Swimming Pool: - • Main Pool - 173.5 Sq. mt. x 1.2 m. (water depth) • Kids pool - 17.53 Sq. mt. x 0.6 m. (water depth) Total water Requirement: 219 Cum Water requirement for make-up: 3 m3/day Budgetary allocation (Capital cost and O & M cost) Capital Cost: Rs. 30.84 Lacs O & M Cost: Rs. 4.20 Lacs/annum	

24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Fresh water requirement	Not applicable	546	546	Not applicable	109	109	Not applicable	437	437
Domestic	Not applicable	272	272	Not applicable	Not applicable	Not applicable	Not applicable	272	272
Gardening	Not applicable	27	27	Not applicable	27	27	Not applicable	Not applicable	Not applicable

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	Summer Season: 16.33 m. to 23.33 m. BGL. (19.83 M. Average) ; Rainy Season: 8.00 m. to 12.00 BGL. (10.00 M. Average) ; Winter Season: 12.17 m. to 17.67 m. BGL. (14.92 M. Average)
	Size and no of RWH tank(s) and Quantity:	Nil
	Location of the RWH tank(s):	NA
	Quantity of recharge pits:	11 Nos.
	Size of recharge pits :	2.25 m. X 2.25 m. X 2.00 m. Depth with 60 m. Deep 6" Dia. Bore Well via 2 No. of de-siltation pits of 0.9 m. Dia. 1.0 m. Deep.
	Budgetary allocation (Capital cost) :	Rs. 9.35 Lacs
	Budgetary allocation (O & M cost) :	Rs. 0.47 Lacs/annum
Details of UGT tanks if any :	Location of UG tanks: Tower 1 to 6; Underground LIG Building: Underground	

26.Storm water drainage	Natural water drainage pattern:	The storm water collected through the storm water drains of adequate capacity will be discharged in to the municipal SWD.
	Quantity of storm water:	0.81 m3/sec
	Size of SWD:	250 mm dia with slope 1:250

27.Sewage and Waste water	Sewage generation in KLD:	Tower 1 to 4: 451 KLD ; Tower 5 & 6: 185 KLD ; LIG Building: 73 KLD
	STP technology:	MBBR Technology
	Capacity of STP (CMD):	Tower 1 to 4: 490 KLD ; Tower 5 & 6: 200 KLD ; LIG Building: 80 KLD
	Location & area of the STP:	Location: Above ground (Area : Tower 1 to 4: 350 Sq. mt. ; Tower 5 & 6: 160 Sq. mt. ; LIG Building: 64 Sq. mt.)
	Budgetary allocation (Capital cost):	Rs. 202.05 Lacs
	Budgetary allocation (O & M cost):	Rs. 42.68 Lacs/annum


28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	Top soil generated shall be reused for landscaping. The excavated earth shall be reused for back filling on site, landscape area and internal road making
	Disposal of the construction waste debris:	Construction waste shall be partly reused on the site and remaining shall be disposed to the authorized landfill site
Waste generation in the operation Phase:	Dry waste:	1213 Kg/day
	Wet waste:	1819 Kg/day
	Hazardous waste:	Not Applicable
	Biomedical waste (If applicable):	Not Applicable
	STP Sludge (Dry sludge):	106 kg/day
	Others if any:	E-waste - 8.30 kg/day
Mode of Disposal of waste:	Dry waste:	To SWACH agency
	Wet waste:	Composting in Organic Waste Convertor
	Hazardous waste:	Not Applicable
	Biomedical waste (If applicable):	Not Applicable
	STP Sludge (Dry sludge):	Use as manure
	Others if any:	Not Applicable
Area requirement:	Location(s):	Ground
	Area for the storage of waste & other material:	81 Sq. mt.
	Area for machinery:	24 Sq. mt.
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs. 18.00 Lacs
	O & M cost:	Rs. 5.16 Lacs/annum

Government of Maharashtra

29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	--	Mg/l	Not applicable	Not applicable	Not applicable
Amount of effluent generation (CMD):		Not applicable			
Capacity of the ETP:		Not applicable			
Amount of treated effluent recycled :		Not applicable			
Amount of water send to the CETP:		Not applicable			
Membership of CETP (if require):		Not applicable			
Note on ETP technology to be used		Not applicable			
Disposal of the ETP sludge		Not applicable			



Government of Maharashtra

30. Hazardous Waste Details

Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

31. Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	DG Set	--	--	--	---	--

32. Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	HSD	--	--	--

Source of Fuel: --

Mode of Transportation of fuel to site: --

33. Energy

Power requirement:	Source of power supply :	Maharashtra State Electricity Distribution Company Limited (MSEDCL)
	During Construction Phase: (Demand Load)	100 KW
	DG set as Power back-up during construction phase	As per requirement
	During Operation phase (Connected load):	6472 KW
	During Operation phase (Demand load):	3375 KW
	Transformer:	5 nos. of 630 kVA capacity each
	DG set as Power back-up during operation phase:	2 nos. of 400 kVA capacity each 1 no. of 500 kVA capacity 1 no. of 320 kVA capacity
	Fuel used:	Diesel
Details of high tension line passing through the plot if any:	Yes. NOC from MSEDCL for High Tension line is received and attached as Enclosure in forms	

34. Energy saving by non-conventional method:

- Provision of Solar PV Panels
- Provision of Energy efficient LED lights
- Proposing use of VFD's (Variable Frequency Drive) for all motors used in lifts
- Use of high efficiency pumps for Plumbing, Firefighting system

36. Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	Solar energy - Outdoor lightning/street light	27375 kWh/annum (50%)
2	Auto timer logic controller	32522 kWh/annum (30%)
3	Electronic V3F drive for lifts	224256 kWh/annum (20%)
4	Solar water heater	39400 kWh/annum (5%)
5	Total energy saving shall be achieved upto	26%

37. Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Sewage	--	STP

Solid waste	--	Organic Waste Converter					
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs. 86.00 Lacs					
	O & M cost:	Rs. 0.6 Lacs/annum					
38.Environmental Management plan Budgetary Allocation							
a) Construction phase (with Break-up):							
Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)				
1	Air Environment	Dust Suppression	5.40				
2	Air Environment	Air & Noise quality Monitoring, Sensors for air quality & Noise level monitoring & By outside MoEF Approved Laboratory	13.6				
3	Water Environment	Drinking water analysis	0.15				
4	Land Environment	Site Sanitation	5.00				
5	Health & Hygiene	Disinfection at site	4.80				
6	Health & Hygiene	Health Check-up of workers	18.00				
7	Total	--	46.95				
b) Operation Phase (with Break-up):							
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)			
1	Sewage Treatment Plant	3 Nos. of STP	148.05	39.34			
2	Rain water harvesting	11 Nos. of Recharge pits	9.35	0.47			
3	Solid waste management	2 Nos. of OWC	18.00	5.08			
4	Green Belt Development	Plantation of trees	36.00	1.20			
5	Energy use (Solar Panel)	Solar, Transformer & DG	86.0	0.6			
6	Environmental Monitoring	EMP Costing	MoEF CC Approved laboratory	2.0			
7	Swimming pool	1 no. of Swimming pool	30.84	4.2			
8	Total	--	30.84	4.2			
9	DMP Cost	DMP Costing	328.24	52.89			
39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)							
Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
40.Any Other Information							
No Information Available							

	CRZ/ RRZ clearance obtain, if any:	Not Applicable
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Not Applicable
	Category as per schedule of EIA Notification sheet	8 (a) B2
	Court cases pending if any	Not Applicable
	Other Relevant Informations	--
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its 167th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to submit CFO NOC
II	PP to revise CER plan incorporating asset creation activities.
III	PP to submit CER plan to Municipal Commissioner/District Collector and submit the acknowledgement copy to submitted to Member Secretary, SEIAA.
IV	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
V	SEIAA decided to grant EC for :FSI: 68844.32 m2, Non-FSI:79583.28 m2 and Total BUA: 148697.69 m2

General Conditions:

I	District Collector and District Mining Officer to ensure the directions given by Hon'ble National Green Tribunal, Pune in Appeal No 10/2013 (WZ) dated 1st October 2013 as bellow- However, we direct that when further auctioning process is required to be conducted, ordinarily, the sand beds falling between the sand beds which are now already auctioned shall be avoided unless there is special certification issued by the competent authority which would indicate absence of any environmental damage, having regard to precautionary principle which is required to be adopted. We mean to say, it should not happen that presently the sand beds are auctioned by keeping distance of 1 k.m. from each other and gap is filled up subsequently under one or another pretext.
II	Distance between lease area to be marked as per actual shape and size, on Village Map or authenticated map available with Revenue Authority and ensure provisions regarding distance between two lease area and total lease area in the OM dated 24th December 2013 issued by MoEF
III	The validity of EC to the above mentioned sand block satisfying stipulated conditions is up to 30th September, 2019 only.
IV	Project proponent to follow the standard environmental conditions for sand mining of sustainable sand mining management guidelines 2016, issued by MoEF & CC.
V	Project proponent to ensure the strictly implementation of Environment management plan.
VI	District Collector to ensure that conditions stipulated in the Government Resolution (G.R.) dated 31.01.2018 issued by Revenue and Forest Department, Government of Maharashtra (GoM) is implemented in letter and spirit.
VII	Sand excavation is allowed only for the Reti Guts having sand deposition more than 2 m and excavation should be for layers above 2 m of sand deposit as recommended by GSDA.
VIII	The instructions of MoEF & CC in the Sustainable sand mining guidelines 2016 [regarding sand mining approval and tracking system and transport of excavated sand] should be followed.
IX	District Collector to ensure that every receipt given is serially scanned and registration number so generated must be written on such receipt to avoid duplication and unauthorized transportation of the sand.
X	Project Proponent to ensure that vehicles transporting sand should not be overloaded beyond stated capacity.
XI	The District collector should ensure that mining will be done strictly up to the depth recommended by GSDA.
XII	The green belt development /tree plantation will be made either on river bank or along road side.
XIII	Measures for prevention & control of soil erosion and management of silt shall be undertaken.
XIV	Project Proponent to ensure that there is no violation of the Supreme Court order and orders of the National Green Tribunal given in the related matters.

**SEIAA Meeting No: 167 Meeting Date: May 21, 2019 (SEIAA-STATEMENT-000001924)
SEIAA-MINUTES-0000001950
SEIAA-EC-0000001736**

XV	Project Proponent & District Mining Officer will be held individually responsible for non compliance of the conditions stipulated in the Environmental clearance and shall be liable for legal action under Environment (Protection) Act of 1986.
XVI	Transport of sand should be through vehicle which is properly covered with Tarpaulin and it should not be overloaded.
XVII	Project Proponent to ensure that the mining plan is approved by Director of Geology and Mining comprising study to show that annual replenishment of sand in the mining lease area is sufficient to sustain the mining operations at levels prescribed in the mining plan and that the transport infrastructure is adequate to transport the mined material.
XVIII	Provisions stipulated in Maharashtra Minor Minerals Extraction (development and Regulation) Rules 2013 and Government Resolution of Revenue and Forest Department dated 03.01.2018 shall be strictly followed by Project proponent.
XIX	The depth of sand layer to be mined, after retaining 2 m minimum layer below, should not be more than 2 meters as per Government Resolution of Revenue Department dated 03.01.2018 e.g. if the total depth of sand is 3 m, only up to one meter of sand shall be mined.
XX	Project Proponent or District Collector will take bank guarantee up to 2% of the total auction cost for the given auction period from the Lessee to ensure the compliance of the conditions stipulated. In case of violation of stipulated conditions by the Lessee, bank guarantee so obtained shall be forfeited and legal action under the law should initiated against such Lessee.
XXI	The distance 3 m or 10 % of the width of river whichever is more will be kept intact as a no mining zone.
XXII	No cutting of the trees shall be done while excavating the sand or while constructing the access road to sand ghat.
XXIII	All mining shall be carried out manually.
XXIV	Underwater mining shall not be permitted without the specific expert sanction of the State Government only for prevention of flood and increasing the capacity of reservoir if any
XXV	It shall be ensured that excavation of minor mineral does not disturb or change the underlying soil characteristics of the river bed /basin, where mining is carried out.
XXVI	It shall be ensured that mining does not in any way disturb the turbidity, velocity and flow pattern of the river water.
XXVII	It shall be ensured that there is no fauna dependent on the river bed or areas close to mining for its nesting is disturbed.
XXVIII	Turtle nesting units conservation is very important. Therefore sand mining in such areas is to be prohibited.
XXIX	Precise mining area will be jointly demarcated at site by officials of Mining/Revenue department prior to mining operations for all proposals under consideration. Such site plan, duly verified by competent authority shall be submitted to Environment Department.
XXX	All necessary statutory clearances shall be obtained before start of mining operations.
XXXI	No mining shall be carried out in the live streams.
XXXII	Mining shall be limited to day hours time only.
XXXIII	No mining shall be carried out in the safety zone of any bridge and/or embankment.
XXXIV	No mining shall be carried out in the vicinity of natural/ manmade archaeological sites.
XXXV	The lease holder shall obtain necessary prior permission of the competent authorities for drawal of requisite quantity of water (surface water and groundwater), if required for the project.
XXXVI	Waste water, if any, shall be properly collected and treated so as to conform to the standards prescribed by MoEF/CPCB.
XXXVII	No wildlife habitat will be infringed.
XXXVIII	Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, if applicable to this project.
XXXIX	Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Horticulture Officer.
XL	Parking of vehicles should not be made on public places.
XLI	Transportation of materials shall be done by covering the trucks / tractors with tarpaulin or other suitable mechanism so that no spillage of mineral/dust takes place.
XLII	It shall be ensured that there is no leakage of oil and grease from the vehicles used for transportation.
XLIII	Special Measures shall be adopted to prevent the nearby settlements from the impacts of mining activities. Maintenance of roads through which transportation of minor minerals is to be undertaken, shall be carried-out regularly.
XLIV	Provision for first-aid, medical health care safe drinking water, and sanitation etc. shall be provided at site.
XLV	Ambient air quality will be monitored at the site and the nearest habitation regularly. Ambient air quality at the boundary of the precise mining area shall conform to the norms prescribed by MoEF & CC, GOI.
XLVI	Measures shall be taken for control of noise level to the limits prescribed by CPCB
XLVII	Any change in mining area, khasra /Gat numbers, entailing capacity addition with change in process and or mining technology, modernization and scope of working shall again require prior Environmental Clearance as per provisions of EIA Notification, 2006 (as amended).
XLVIII	SEAC appraised the proposals on the basis of information submitted by concerned District Mining Officer. Mining Officer shall submit the list of blocks satisfying conditions stipulated above to Revenue & Environment dept. The list of blocks and conditions stipulated above shall be made available in public domain.

XLIX	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
L	In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
LI	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason after consultation with SEIAA.
LII	In case of any deviation or alteration in the project proposal from the one submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
LIII	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
LIV	Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010



Government of Maharashtra

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MUNICIPAL COMMISSIONER PUNE
10. MUNICIPAL COMMISSIONER SATARA
11. REGIONAL OFFICE MPCB PUNE
12. REGIONAL OFFICE MIDC PUNE
13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
14. COLLECTOR OFFICE PUNE
15. COLLECTOR OFFICE SATARA
16. COLLECTOR OFFICE SOLAPUR